A J COPE & SON LTD

The Oval

London E2 9DU

Telephone: +44 (0) 20 7729 2405 Facsimile: +44 (0) 20 7729 2657

Internet: www.ajcope.co.uk

ELECTRONIC CATALOGUE CUSTOMER'S AMENDMENTS ISSUE 04 — JULY 2010

Page 1 of 4 pages

	Amendment				
	NEW ITEM Battery Hydrometer For lead-acid accumulators. Pipette range 1.100-1.300, with coloured zones indicating charged, partly charged and uncharged conditions. With float, plastic jacket and rubber bulb and nozzle. Length approximately 203mm. BL710-08 Battery hydrometer				
=======	CANCELLATION CM390-15 Cancelled, offer CM390-20				
	NEW ITEM Vaccine/specimen Carrier Meets WHO/UNICEF standard E4/VC2. Polyurethane insulated, polypropylene body with strong, hinged handle and removable lid. Both body and lid have individual seals to improve insulation. Dimensions 240 x 180 x 220mm internal, 320 x 270 x 250mm external. Supplied with 8 x 400ml ice packs, soft foam insert to hold vaccine vials and multilingual instructions on safe transportation of vaccines. Vaccine capacity 2.6 litres. Weight 2.2kg. Accessory insert divider strips with adjustable slots in 12mm increments allow specimen tubes/containers to be accommodated. CM390-20 Vaccine/Specimen carrier CM390-22 Accessory insert divider strip (3 required)				
	CANCELLATIONS CS725-10 Cancelled, offer CS725-15 CS725-60 Cancelled, offer CS725-65				
	CS725-20 Cancelled, offer CS725-25 CS725-70 Cancelled, offer CS725-75 CS725-30 Cancelled, offer CS725-35 CS725-40 Cancelled, offer CS725-45 CS725-40 Cancelled, offer CS725-45 CS725-50 Cancelled, offer CS725-55 CS725-50 Cancelled, offer CS725-55				
	NEW ITEMS ELECTRONIC COLORIMETERS PFXi-195 SERIES Colorimeter PFXi-195/1. For liquid chemicals and industrial oils analysis. Scales: Pt-Co/Hazen/APHA, Gardner, Iodine. Cells supplied: 2 x 10mm, 1 x 50mm path length. CS725-15 PFXi-195/1				
	Colorimeter PFXi-195/2. For liquid chemicals and industrial oils analysis. Scales: Saybolt, ASTM colour, Pt-Co/Hazen/APHA. Cells supplied: 1 x 33mm, 1 50mm path length. CS725-25 PFXi-195/2				
	Colorimeter PFXi-195/3. For liquid chemicals and industrial oils analysis. Scales: FAC, Gardner. Cells supplied: 3 x 10mm path length. CS725-35 PFXi-195/3				
ntinued 2					

ISSUE 03 — JULY 2010 Page 2 of 4 pages

Page 2 of 4 pages					
Amer	ndment				
For lic Scales	imeter PFXi-195/4. quid chemicals and industrial oils analysis. :: EBC (CIE and 430nm), ASBC (CIE and 430nm).Series 52 (Brown). supplied: 1 x 10mm, 2 x 25mm path length. 5-45 PFXi-195/4				
For lic Scales	imeter PFXi-195/5. quid chemicals and industrial oils analysis. :: Ph. Eu, USP, Pt-Co/Hazen/APHA. Cells supplied: 1 x 40mm, mm path length. 5-55 PFXi-195/5				
Colori For in Scales units. CS725	imeter PFXi-195/6. idustrial oils and surfactants analysis. :: Klett colour (KS-42 blue filter), Pt-Co/Hazen/APHA, Hess-Ives colour Cells supplied: 1 x 10mm, 1 x 20mm, 1 x 40mm,1 x 50mm path length.				
For su Scales	ngar solutions, syrups and honey. :: ICUMSA (420, 560, 710nm), Honey colour (Pfund equivalents), 52 (Brown) Cells supplied: 1 x 10mm, 1 x 25mm 1 x 50mm path length.				
For wa	Colorimeter PFXi-195/8. For water and waste water analysis Scales: ADMI (spectral and tristimulus filter methods), Pt-Co/Hazen/APHA. Cells supplied: 2 x 50mm path length. CS725-85 PFXi-195/8				
For tr	imeter PFXi-195/9. cansparent liquids. Scales: CIE values lard selection), L*C*h colour space, Hunter lab colour space, rgb. Cells supplied: 2 x 10mm, 1 x 20mm path length. 5-95 PFXi-195/9				
DT252 DT202 NEW	2-08 Cancelled, special order only ITEMS				
DT252 DT202	1 21				
CANC DT285 DT285 DT292	5-60 Cancelled, special order only				
NEW DT285 DT292	1 21				
continued 3					

ISSUE 03 — JULY 2010 Page 3 of 4 pages

	Amendment
	CANCELLATION GE515-30 Cancelled, offer GE515-35 NEW ITEM Gas washbottle, Woulff Glass with 2 x 19/26 socket necks. GE515-36 500ml
	CANCELLATIONS HP180-15 Cancelled, offer HP185-30 HP180-20 Cancelled, offer HP185-60 HP300-22 Cancelled, offer HP405-22
	NEW ITEM Professional Coolbox, rugged container Clinically clean, impact-resistant, polypropylene body with polyurethane foam insulation, rigid carrying handle, co-injection moulded rubber lid seal and insulated lid. The lid is hinged and incorporates 2 recesses and twist clamp to hold 400ml ice packs in place during use. When pre-frozen and fitted, the ice packs will maintain the container contents below 15oC for up to 25 hours. Maximum capacity 30 litres. Overall 395 x 297 x 480mm W x D x H. Supplied with 2 x 400ml ice packs. IC478-10 Professional coolbox
===========	Accessory Inserts Slotted, adjustable insert dividers which can accommodate a variety of containers and tubes in 12mm increments. Height approximately 100mm. Supplied in strips that can be cut to the size and array required by the user. Suggested requirement for IC478-10: 4 to 5 strips. Supplied singly CM390-22 Accessory insert divider strip
	NEW ITEMS 73 series, Jenway Choice of ranges/features: Model 7300: Visible, range 320 to 1000nm Model 7305: UV, range 198 to 1000nm Model 7310: Scanning visible, range 320 to 1000nm, Quantitation and Kinetics modes Model 7315: Scanning UV, range 198 to 1000nm, Quantitation and Kinetics modes Models 7310 and 7315 are GLP compliant, with logging of time, date and user i.d., instrument and method locks, 240 method memory storage 5nm spectral bandwidth Sealed control panel and display built into hinged lid to avoid splashes and spillages when sample loading Analogue and RS232 outputs provided (models 7310 and 7315 additionally have front positioned, USB ports for use with USB memory sticks Large, graphics display with icon-driven operation Compact design minimises bench space required Accessory printer-module available
continued 4	

ISSUE 03 — JULY 2010 Page 4 of 4 pages

rage 4 or 4 pages						
Amendment						
Spectrophotometers, 73-series, Jenway						
As described. With 10mm cell holder, 100 x 10mm disposable cuvettes, downloading/analysis software						
CD-ROM, interface cable and instructions (Models 7310 and 7315 are also supplied with a 2GB USB						
memory stick). Supplied with universal power supply for 100-240V 50/60Hz single phase supplies.						
SJ372-25 Model 7300						
SJ372-35 Model 7305						
SJ372-45 Model 7310						
SJ372-55 Model 7315						
Spares GY264 07 The state of the GY262 25/45						
SJ364-05 Tungsten halogen lamp for SJ372-25/-45						
SJ373-14 Xenon lamp module for SJ372-35/-55						
SJ373-18 Cell holder for 10mm cells						
CT102-05 Cuvettes, 10mm, pack of 100						
Accessories						
SJ373-27 Cell holder, adjustable for 10 to 100mm path length cells						
SJ373-30 Cell holder, adjustable for 16/24mm diameter test tubes						
SJ377-94 Internal printer module						
NEW ITEMS						
Additional accessories to Telescoop Samplers						
SD065-25 Samuling and 1.15 to 2.0 materials						
SD065-25 Sampling rod, 1.15 to 3.0 metres						
SD065-79 Pendulum beaker, stainless steel, 1000ml						
SD065-84 Bottle Holder for bottles up to 750ml						
SD065-87 Metal cup, 1000ml SD065-00 Surface not BD/DA 310 v 280mm L v W						
SD065-90 Surface net, PP/PA, 310 x 280mm L x W 2 to 5mm mesh						
SD065-95 Depth net, PP/PA, 190 x 430 x 250mm						
L x W x D, 2 to 5mm mesh						
L x vv x D, 2 to Simili mesii						
Bottles - see BR767-series						
 +====================================						
T H E E N D						

PRICES FOR NEW ITEMS Page 1 of 1page

JULY 2010

CAT. NO.	PRICE £	Per	CODE
CM390-20	45.00	each	ВО
CM390-22	5.45	each	ВО
IC478-10	33.00	each	ВО
CS725-15	3699.00	each	FO
CS725-25	3899.00	each	FO
CS725-35	3699.00	each	FO
CS725-45	3699.00	each	FO
CS725-55	3899.00	each	FO
CS725-65	3899.00	each	FO
CS725-75	3699.00	each	FO
CS725-85	3699.00	each	FO
CS725-95	3449.00	each	FO
DT252-09	257.00	each	KJ
DT202-09	70.00	each	KJ
DT285-49	262.00	each	KJ
DT292-11	257.00	each	KJ
GE515-36	17.30	each	AO
SJ372-25	1450.00	each	KJ
SJ372-35	2050.00	each	KJ
SJ372-45	1850.00	each	KJ
SJ372-55	2550.00	each	KJ
SJ373-14	518.00	each	KJ
SJ373-18	65.00	each	KJ
SJ373-27	95.00	each	KJ
SJ373-30	155.00	each	KJ
SD065-25	50.00	each	00
SD065-79	163.50	each	00
SD065-84	60.00	each	00
SD065-87	120.00	each	00
SD065-90	56.75	each	00
SD065-95	62.00	each	00
—			

T H E E N D