A J COPE & SON LTD The Oval London E2 9DU Telephone: +44 (0) 20 7729 2405 Facsimile: +44 (0) 20 7729 2657

Internet: www

<u>www.ajcope.co.uk</u>

ELECTRONIC CATALOGUE CUSTOMER'S AMENDMENTS ISSUE 08 — November 2010 Page 1 of 9 pages

A	AMENDMENT Additional information on Autoanalyser cups - AT150-15/-20/-30 compatible with Bayer, Hitachi, I.L., Kodak and Olympus analysers		
	EW ITEMS T150-40 Autoanalyser cups for Hitachi analysers only, 2ml, pack of 100		
<u>Ai</u> Po	<u>utoanalyser cups, Ezee-Nest, Elkay</u> olystyrene. For use with blood tubes of diameters as indicated. Samples are poured from blood ollection tubes into the cup which is then placed inside the tube, eliminating the need to re-label.		
	T155-251ml, for 13mm blood tubes, pack of 1000T155-352ml, for 16mm blood tubes, pack of 1000		
Сл	ANCELLATION		
A	T160-16 Cancelled, offer AT160-15		
	EW ITEM		
G	<u>utosampler cups, 1.5ml, conical pattern</u> enerally as previous AT160-16 but now supplied in a pack of 1000.		
	T160-15 Autosampler cup, 1.5ml Il other details are unchanged		
	ANCELLATIONS		
BI	B541-06 Cancelled, replaced by BB527-05		
BI	B541-08 Cancelled, replaced by BB527-09		

	i age 2 of > pages				
	CANCELLATION CF306-28 Cancelled, offer CF307-18				
	NEW ITEMS <u>Microcentrifuge tubes, FlipTube[®]</u>				
	Unique design, 1.5ml microcentrifuge tubes in autoclavable polypropylene with flip lid allowing one- handed opening and closure without contact with the rim, reducing the possibility of contamination. Maximum rcf 20,000xg. DNAse and RNAse free. With pierceable lid, graduations and marking areas on side and lid. Supplied in a pack of 500.				
	Ref. Colour				
	CF307-10 FTN Natural				
	CF307-14 FTR Red				
	CF307-18 FTY Yellow CF307-22 FTB Blue				
	CF307-26 FTG Green				
	CF307-30 FTBK Black				
	-+				
	NEW ITEM				
	Disposable Centrifuge Tube Polypropylene, non-sterile, 15ml centrifuge tubes with screw cap and conical base. Size 119 x 17mm				
	height x diameter. Maximum rcf 9400xg. With printed graduations. Pack of 500.				
	CF326-06 15ml Centrifuge tubes				
	NEW ITEMS				
	Disposable Centrifuge Tubes				
	Polypropylene, non-sterile, 50ml centrifuge tubes with screw cap and choice of conical or self-standing base. Size 116 x 28mm height x diameter. Maximum rcf 9400xg. With printed graduations. Pack of 500.				
	CF368-11 50ml centrifuge tubes, conical base				
	CF368-19 50ml centrifuge tubes, conical self-standing base				

ISSUE 08 — November 2010 Page 3 of 9 pages

	Page 3 of 9 pages				
	CANCELLATIONS				
	CM900-17 Cancelled, offer CM900-15				
	CM900-38 Cancelled, offer CM900-39				
	NEW ITEMS				
	Specimen cups, Elkay				
	Generally as previous CM900-series but with pack size changes as indicated.				
	CM900-15Non-sterile, without cap, pack of 1000CM900-39Sterile, individually wrapped, with red cap, pack of 300				
	CANCELLATIONS				
	CT500-10 Cancelled, offer CT500-35				
	CT500-40Cancelled, offer CT500-35CT500-45Cancelled, offer CT500-35				
	CT508-50 Cancelled, no replacement				
	CT508-55 Cancelled, no replacement				
============					
	CANCELLATIONS				
	CU620-10 Cancelled, offer CU612-10				
	CU622-18 Cancelled, no replacement				
	CU622-45 Cancelled, no replacement				
	CU622-75 Cancelled, special order only				
	CANCELLATIONS				
	DT280-10 Cancelled, offer DT250-20				
	DT285-15 Cancelled, no replacement				
	DT285-30 Cancelled, special order only				
	DT285-49 Cancelled, no replacement				
	DT285-80 Cancelled, no replacement				

ISSUE 08 — November 2010 Page 4 of 9 pages

Page 4 01 9 pages				
	CANCELLATION EE500-65 Cancelled, offer EE500-60			
	NEW ITEMS <u>Buchner Rings</u> Long-lasting, heavy-duty, profiled natural compound (60 shore) rubber rings which provide a vacuum- tight seal and excellent support for Buchner funnels, incorporating a wide flange and large surface contact. Available individually or in a set of all sizes, as indicated.			
	Flask neck i.d. FK364-25 24mm FK364-35 35mm FK364-45 45mm FK364-55 60mm FK364-75 68mm			
	FK364-80 Set of 5 Buchner rings, for flask with neck internal diameters: 24mm, 35mm, 45mm, 60mm, 68mm			
	NEW ITEMS Stools Generally as FZ500-series but with MDF seat. Dimension given is overall height. FZ498-06 470mm FZ498-09 520mm FZ498-17 620mm FZ498-22 670mm			
	CANCELLATIONS MT435-66 Cancelled, offer MT350-10 MT435-73 Cancelled, special order only MT435-79 Cancelled, special order only MT435-85 Cancelled, special order only MT435-94 Cancelled, special order only MT440-30 Cancelled, offer MT350-20 MT440-65 Cancelled, special order only MT440-80 Cancelled, special order only			

CANCELLATIONS

MT450-17 Cancelled, offer MT350-20

MT465-10 Cancelled, special order only MT465-20 Cancelled, special order only MT465-30 Cancelled, special order only MT465-40 Cancelled, special order only

MT468-22 Cancelled, special order only MT468-33 Cancelled, special order only

MT492-08 Cancelled, special order only

CANCELLATIONS

PJ370-10 Cancelled, offer PH400-30

NEW ITEMS

Socorex Micropipettors, Acura XS826 Series

▲ Lightweight, ergonomic design

▲ Digital reading with easy adjustment

▲ Minimal plunger and ejector forces required for enhanced comfort in use

▲ Short, narrow design allows use in gloveboxes and easy access to microtubes

▲ Fully autoclavable at 121°C

▲ Adjustable tip ejector length accommodates various tip positions

As described. Each pipette is numbered, supplied with a calibration certificate and CE marked in accordance with IVD 98/79 EEC directives. Supplied singly.

	Range, µl	Divisions, µl	Accuracy %
PR578-02	0.1 to 2	0.002	<±6.0
PR578-03	0.5 to 10	0.01	<±2.5
PR578-05	1 to 10	0.01	<±2.5
PR578-08	2 to 20	0.02	<±2.5
PR578-10	5 to 50	0.1	<±1.5
PR578-15	10 to 100	0.1	<±1.5
PR578-20	20 to 200	0.2	<±1.5
PR578-25	100 to 1000	1	<±1.5

TwiXS Packs

Comprise two XS826 micropipettors with capacities as indicated. One shelf pipettor holder, certificates and instructions.

PR578-92	0.1 to 2µl, 2 to 20µl
PR578-94	0.5 to 10µl, 10 to 100µl
PR578-96	5 to 50µl, 20 to 200µl
PR578-98	10 to 100µl, 100 to 1000µl

ISSUE 08 — November 2010 Page 6 of 9 pages

 CANCELLATIONS PR870-63 Cancelled, no replacement PR870-74 Cancelled, no replacement PR874-63 Cancelled, no replacement PR874-74 Cancelled, no replacement
CANCELLED PY940-50 Cancelled, offer PY940-55
NEW ITEM <u>Vacuum Gauge, Pirani</u> Range 1000 to 10 ⁻³ mbar, 750 to 10 ⁻³ torr; accuracy ±15% of displayed value within 100 to 10 ⁻² mbar range. Analogue and digital display with trend indication, 32000 reading datalogger and RS232 interface. Overall 115 x 124 x 138mm H x W x D. Weight 0.44kg. Supplied with DN10/16 connection, separate Pirani gauge head on a 2 metre lead and 24V d.c. BUS communication system. For 100-230V 50/60Hz single phase supplies. PY940-55 Vacuum Gauge
CANCELLATION RE284-40 Cancelled - special order only NEW ITEM Spare power supply for RE280-series refractometers, for 110-230V 50/60Hz a.c. RE284-39 Power Supply, 110-230V 50/60Hz a.c.
 CANCELLATION SB220-10 Cancelled, no replacement
CANCELLATIONS SC250-22 Cancelled, offer SC250-36 SC250-26 Cancelled, offer SC250-32 SC250-34 Cancelled, offer SC250-16

CANCELLATIONS

SE420-15 Cancelled, offer SE450-20 SE420-20 Cancelled, offer SE450-20 SE420-27 Cancelled, special order only SE420-29 Cancelled, special order only SE420-40 Cancelled, special order only SE420-42 Cancelled, special order only SE420-44 Cancelled, special order only SE420-46 Cancelled, special order only SE420-48 Cancelled, special order only SE420-67 Cancelled, special order only SE420-72 Cancelled, special order only

SE440-10 Cancelled, offer SE450-20 SE440-30 Cancelled, special order only SE440-32 Cancelled, special order only SE440-37 Cancelled, special order only SE440-50 Cancelled, special order only

CANCELLATIONS

SE620-50 Cancelled, offer MS530-60 SE630-14 Cancelled, special order only SE632-15 Cancelled, special order only SE632-20 Cancelled, special order only SE632-25 Cancelled, special order only SE632-30 Cancelled, special order only SE632-32 Cancelled, special order only SE635-40 Cancelled, offer SE640-10 SE745-15 Cancelled, offer SE780-15

CANCELLATION

SE770-10 Cancelled, offer SE790-15

CANCELLATIONS

SL270-16 Cancelled, offer SL260-16

SL270-20 Cancelled, offer SL260-20

I	Page 8 of 9 pages
	CANCELLATIONS SR730-25 Cancelled, offer SR800-20 SR730-40 Cancelled, offer SR800-40 SR750-25 Cancelled, offer SR800-30 SR753-09 Cancelled, special order only SR753-14 Cancelled, special order only SR753-17 Cancelled, special order only SR753-19 Cancelled, special order only SR753-23 Cancelled, special order only SR765-20 Cancelled, offer SR800-40 SR768-14 Cancelled, special order only
	CANCELLATIONS SS240-15 Cancelled, offer SS307-10 SS330-20 Cancelled, offer SS307-10
	CANCELLATION SS635-52 Cancelled, offer SS625-35 AMENDMENT SS625-35 is now IKA RCT standard safety control. All other details are unchanged.
	AMENDMENT TG730-17 has a 150mm long spiked stem, not 295mm as stated in the catalogue. All other details are unchanged.
	THE END

PRICES FOR NEW ITEMS Page 9 of 9 Pages

NOVEMBER 2010

CAT. NO.	PRICE £	Per	CODE
AT150-40	18.00	pack 1000	FA
AT155-25	22.00	pack 1000	FA
AT155-35	29.00	pack 1000	FA
AT160-15	21.70	pack 1000	EO
CF326-06	55.00	pack 500	EO
CF368-11	58.00	pack 500	EO
CF368-19	60.00	pack 500	EO
CF307-10	14.00	pack 500	FO
CF307-14	16.00	pack 500	FO
CF307-18	16.00	pack 500	FO
CF307-22	16.00	pack 500	FO
CF307-26	16.00	pack 500	FO
CF307-30	16.00	pack 500	FO
CM900-15	84.00	pack 1000	SC
СМ900-39	78.00	pack 1000	FA
FK364-25	12.60	each	FO
FK364-35	13.50	each	FO
FK364-45	14.40	each	FO
FK364-55	15.30	each	FO
FK364-75	16.20	each	FO
FK364-80	64.80	pack	FO
FZ498-06	39.99	each	EO
FZ498-09	39.99	each	EO
FZ498-17	39.99	each	EO
FZ498-22	39.99	each	EO
PR578-02	190.00	each	RQ
PR578-03	190.00	each	RQ
PR578-05	180.00	each	RQ
PR578-08	180.00	each	RQ
PR578-10	180.00	each	RQ
PR578-15	180.00	each	RQ
PR578-20	180.00	each	RQ
PR578-25	180.00	each	RQ
PR578-92	335.00	each	RQ
PR578-94	335.00	each	RQ
PR578-96	335.00	each	RQ
PR578-98	335.00	each	RQ
PY940-55	725.00	each	FC
RE284-39	143.00	each	FN

T H E E N D